


.5 mile Ring Centered at 41.821110,-87.677180, ILLINOIS, EPA Region 5

Approximate Population: 4,842

Input Area (sq. miles): 0.79

MAT Asphalt

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile
EJ Indexes			
EJ Index for PM2.5	96	98	96
EJ Index for Ozone	95	98	92
EJ Index for NATA* Diesel PM	95	98	95
EJ Index for NATA* Air Toxics Cancer Risk	96	97	90
EJ Index for NATA* Respiratory Hazard Index	95	97	92
EJ Index for Traffic Proximity and Volume	94	96	91
EJ Index for Lead Paint Indicator	96	98	98
EJ Index for Superfund Proximity	90	93	86
EJ Index for RMP Proximity	99	99	99
EJ Index for Hazardous Waste Proximity	97	98	96
EJ Index for Wastewater Discharge Indicator	93	97	96



This report shows the values for environmental and demographic indicators and EJSCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

.5 mile Ring Centered at 41.821110,-87.677180, ILLINOIS, EPA Region 5

Approximate Population: 4,842

Input Area (sq. miles): 0.79

MAT Asphalt



May 20, 2019

Buffer Area

Digitized Point

1:18,056
0 0.15 0.3 0.6 mi
0 0.25 0.5 1 km
Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

Sites reporting to EPA

Superfund NPL

0

Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)

0

EJSCREEN Report (Version 2018)

.5 mile Ring Centered at 41.821110,-87.677180, ILLINOIS, EPA Region 5

Approximate Population: 4,842

Input Area (sq. miles): 0.79

MAT Asphalt

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators							
Particulate Matter (PM 2.5 in $\mu\text{g}/\text{m}^3$)	13.2	12.1	93	10.8	98	9.53	97
Ozone (ppb)	42.6	43.3	27	42.6	39	42.5	50
NATA* Diesel PM ($\mu\text{g}/\text{m}^3$)	1.7	1.28	77	0.932	90-95th	0.938	80-90th
NATA* Cancer Risk (lifetime risk per million)	38	36	73	34	70-80th	40	<50th
NATA* Respiratory Hazard Index	2.1	1.9	68	1.7	70-80th	1.8	60-70th
Traffic Proximity and Volume (daily traffic count/distance to road)	340	510	70	370	75	600	71
Lead Paint Indicator (% Pre-1960 Housing)	0.8	0.41	85	0.38	87	0.29	92
Superfund Proximity (site count/km distance)	0.05	0.091	51	0.12	52	0.12	50
RMP Proximity (facility count/km distance)	8.1	1.1	99	0.81	99	0.72	99
Hazardous Waste Proximity (facility count/km distance)	6	2.1	91	1.5	95	4.3	92
Wastewater Discharge Indicator (toxicity-weighted concentration/m distance)	0.082	0.44	76	4.2	87	30	89
Demographic Indicators							
Demographic Index	70%	34%	87	28%	92	36%	89
Minority Population	87%	38%	86	25%	93	38%	88
Low Income Population	53%	31%	82	32%	83	34%	80
Linguistically Isolated Population	11%	5%	84	2%	93	4%	85
Population With Less Than High School Education	33%	12%	92	10%	95	13%	91
Population Under 5 years of age	6%	6%	56	6%	57	6%	54
Population over 64 years of age	9%	14%	30	15%	23	14%	27

* The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: <https://www.epa.gov/national-air-toxics-assessment>.

For additional information, see: www.epa.gov/environmentaljustice

EJSCREEN is a screening tool for pre-decisional use only. It can help identify areas that may warrant additional consideration, analysis, or outreach. It does not provide a basis for decision-making, but it may help identify potential areas of EJ concern. Users should keep in mind that screening tools are subject to substantial uncertainty in their demographic and environmental data, particularly when looking at small geographic areas. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports. This screening tool does not provide data on every environmental impact and demographic factor that may be relevant to a particular location. EJSCREEN outputs should be supplemented with additional information and local knowledge before taking any action to address potential EJ concerns.